

# รายวิชาภาษาอังกฤษ

## รหัสวิชา อ14101

### ชั้นประถมศึกษาปีที่ 4

## เรื่อง Reading Medicine Labels

ผู้สอน 1. ครูศุภรัตน์ พ่วงกลิ่น

2. ครูวรวิมล สดใส




# Reading Medicine Labels



## จุดประสงค์การเรียนรู้



- 1) ออกเสียงคำศัพท์เกี่ยวกับชนิดของยาและการรับประทานยาได้
- 2) บอกรายละเอียดจากการอ่านฉลากยาได้



# Let's review





a runny nose



a fever



a headache

a cough



a pain



Let's learn  
vocabulary



# Medicine








**pill**

**syrup**



**capsule**

**tablet**





before meal




after meal



.....time(s) a day.

every \_\_\_hour(s)

Let's read medicine labels



## Medicine A



### Paracetamol (tablet)

**Indication :** For headache and  
fever relief

**Dosage :** Children 5 - 12 years.

1 tablet 3 - 4 times a day.

Adults 1 - 2 tablets.

3 - 4 times a day.

(before meal)

**\*\*Drink a lot of water\*\***

## Medicine B



### Syrup medicine

**Indication :** Relief coughs.  
**Dosage** 1 - 2 teaspoons  
before meal.

**\*\*Take enough rest\*\***

## Medicine C

Capsule



Indication :

For cold and runny nose.

Dosage :

2 capsules a day  
before bedtime.

**\*\*Drink a lot of water\*\***

## Medicine D

Pill



Indication :

Relief muscles pain. .

Dosage :

1 pill 3 times a day

**\*\*Drink a lot of water\*\***

# Practice



ใบงานที่ 5 เรื่อง Reading Medicine Labels  
หน่วยการเรียนรู้ที่ 3 Healthy Living  
แผนการจัดการเรียนรู้ที่ 5 Reading Medicine Labels  
รายวิชา ภาษาอังกฤษ รหัสวิชา อ14101 ภาคเรียนที่ 1 ชั้นประถมศึกษาปีที่ 4

**Instructions:** Read and choose the correct answer.  
อ่านและเลือกคำตอบที่ถูกต้อง

1. Medicine B is .....medicine.  
a. tablet                      b. syrup                      c. capsule
2. Somsri has a fever, she should take.....  
a. Medicine A                b. Medicine B                c. Medicine D
3. You have a running nose, you should take.....  
a. Medicine A                b. Medicine C                c. Medicine B
4. Tom has a headache, he should take.....  
a. Medicine A                b. Medicine B                c. Medicine D

**Instructions:** Read and Tick ✓ or ✗

อ่านข้อมูลจากฉลากยา และเขียนเครื่องหมาย ✓ หรือ ✗ หน้า

ประโยค

- 5. Take Medicine D and drink a lot of water.
- 6. Take Medicine B and take enough rest.
- 7. Take Medicine D 4 times a day.
- 8. Take Medicine C after meal.
- 9. Take Medicine A before bedtime.
- 10. Take Medicine B before meal.

# ใบงานที่ 5

## เรื่อง Reading Medicine Labels

ดาวน์โหลดใบงานได้ที่ [www.dltv.ac.th](http://www.dltv.ac.th)





## คำชี้แจงกิจกรรมนักเรียน

1. อ่านและเลือกคำตอบที่ถูกต้อง
2. อ่านข้อมูลจากฉลากยาและเขียนเครื่องหมาย ✓ หรือ ✕ หน้าประโยค

## คำชี้แจงบทบาทครูปลายทาง

1. อธิบายการทำงานใบงานให้นักเรียน
2. ให้คำแนะนำเพิ่มเติมเมื่อนักเรียนมีข้อสงสัย



## Medicine B

# Syrup medicine



**Indication** : Relief coughs.

**Dosage** 1 - 2 tea spoons  
before meal.

**\*\*Take enough rest\*\***

1. Medicine B is .....medicine.

a. tablet

b. syrup

c. capsule

### Medicine A



#### Paracetamol (tablet)

Indication : For headache and fever relief

Dosage : Children 5 - 12 years.

1 tablet 3 - 4 times a day.

Adults 1 - 2 tablets.

3 - 4 times a day.

(before meal)

**\*\*Drink a lot of water\*\***

### Medicine B



#### Syrup medicine

Indication : Relief coughs.

Dosage 1 - 2 teaspoons before meal.

**\*\*Take enough rest\*\***

### Medicine C



#### Capsule

Indication :

For cold and runny nose.

Dosage :

2 capsules a day

before bedtime.

**\*\*Drink a lot of water\*\***

### Medicine D



#### Pill

Indication :

Relief muscles pain. .

Dosage :

1 pill 3 times a day

**\*\*Drink a lot of water\*\***

2. Somsri has a fever,  
she should take.....

a. Medicine A

b. Medicine B

c. Medicine D

### Medicine A



#### Paracetamol (tablet)

Indication : For headache and fever relief

Dosage : Children 5 - 12 years.

1 tablet 3 - 4 times a day.

Adults 1 - 2 tablets.

3 - 4 times a day.

(before meal)

**\*\*Drink a lot of water\*\***

### Medicine B



#### Syrup medicine

Indication : Relief coughs.

Dosage 1 - 2 teaspoons before meal.

**\*\*Take enough rest\*\***

### Medicine C



#### Capsule

Indication :

For cold and runny nose.

Dosage :

2 capsules a day

before bedtime.

**\*\*Drink a lot of water\*\***

### Medicine D



#### Pill

Indication :

Relief muscles pain. .

Dosage :

1 pill 3 times a day

**\*\*Drink a lot of water\*\***

3. You have a runny nose, you should take.....

a. Medicine A

b. Medicine C

c. Medicine B

### Medicine A



#### Paracetamol (tablet)

**Indication :** For headache and fever relief

**Dosage :** Children 5 - 12 years.  
1 tablet 3 - 4 times a day.  
Adults 1 - 2 tablets.  
3 - 4 times a day.  
(before meal)  
**\*\*Drink a lot of water\*\***

### Medicine B



#### Syrup medicine

**Indication :** Relief coughs.  
**Dosage** 1 - 2 teaspoons before meal.

**\*\*Take enough rest\*\***

### Medicine C



#### Capsule

**Indication :**  
For cold and runny nose.

**Dosage :**  
2 capsules a day before bedtime.  
**\*\*Drink a lot of water\*\***

### Medicine D



#### Pill

**Indication :**  
Relief muscles pain. .

**Dosage :**  
1 pill 3 times a day

**\*\*Drink a lot of water\*\***

4. Tom has a headache, he should take.....

a. Medicine A

b. Medicine B

c. Medicine D

Read and Tick ✓ or ✗





### Medicine A



#### Paracetamol (tablet)

Indication : For headache and fever relief

Dosage : Children 5 - 12 years.

1 tablet 3 - 4 times a day.

Adults 1 - 2 tablets.

3 - 4 times a day.

(before meal)

**\*\*Drink a lot of water\*\***

### Medicine B



#### Syrup medicine

Indication : Relief coughs.

Dosage 1 - 2 teaspoons before meal.

**\*\*Take enough rest\*\***

### Medicine C



#### Capsule

Indication :

For cold and runny nose.

Dosage :

2 capsules a day

before bedtime.

**\*\*Drink a lot of water\*\***

### Medicine D



#### Pill

Indication :

Relief muscles pain. .

Dosage :

1 pill 3 times a day

**\*\*Drink a lot of water\*\***

5. Take Medicine D and drink a lot of water.

6. Take Medicine B and take enough rest.

7. Take Medicine D 4 times a day.



### Medicine A



#### Paracetamol (tablet)

Indication : For headache and fever relief

Dosage : Children 5 - 12 years.

1 tablet 3 - 4 times a day.

Adults 1 - 2 tablets.

3 - 4 times a day.

(before meal)

**\*\*Drink a lot of water\*\***

### Medicine B



#### Syrup medicine

Indication : Relief coughs.

Dosage 1 - 2 teaspoons before meal.

**\*\*Take enough rest\*\***

### Medicine C



#### Capsule

Indication :

For cold and runny nose.

Dosage :

2 capsules a day

before bedtime.

**\*\*Drink a lot of water\*\***

### Medicine D



#### Pill

Indication :

Relief muscles pain. .

Dosage :

1 pill 3 times a day

**\*\*Drink a lot of water\*\***

8. Take Medicine C after meal.

9. Take Medicine A before bedtime.

10. Take Medicine B before meal.

# Answers



## Medicine B

Syrup medicine



Indication : Relief coughs.  
Dosage 1 - 2 teaspoons  
before meal.

**\*\*Take enough rest\*\***

1. Medicine B is .....medicine.

a. tablet

**b. syrup**

c. capsule

### Medicine A



#### Paracetamol (tablet)

Indication : For headache and fever relief

Dosage : Children 5 - 12 years.

1 tablet 3 - 4 times a day.

Adults 1 - 2 tablets.

3 - 4 times a day.

(before meal)

**\*\*Drink a lot of water\*\***

### Medicine B



#### Syrup medicine

Indication : Relief coughs.

Dosage 1 - 2 teaspoons before meal.

**\*\*Take enough rest\*\***

### Medicine C



#### Capsule

Indication :

For cold and runny nose.

Dosage :

2 capsules a day

before bedtime.

**\*\*Drink a lot of water\*\***

### Medicine D



#### Pill

Indication :

Relief muscles pain. .

Dosage :

1 pill 3 times a day

**\*\*Drink a lot of water\*\***

2. Somsri has a fever,  
she should take.....

**a.** Medicine A

b. Medicine B

c. Medicine D

### Medicine A



#### Paracetamol (tablet)

Indication : For headache and fever relief

Dosage : Children 5 - 12 years.

1 tablet 3 - 4 times a day.

Adults 1 - 2 tablets.

3 - 4 times a day.

(before meal)

**\*\*Drink a lot of water\*\***

### Medicine B



#### Syrup medicine

Indication : Relief coughs.

Dosage 1 - 2 teaspoons before meal.

**\*\*Take enough rest\*\***

### Medicine C



#### Capsule

Indication :

For cold and runny nose.

Dosage :

2 capsules a day

before bedtime.

**\*\*Drink a lot of water\*\***

### Medicine D



#### Pill

Indication :

Relief muscles pain. .

Dosage :

1 pill 3 times a day

**\*\*Drink a lot of water\*\***

3. You have a runny nose, you should take.....

a. Medicine A

**b. Medicine C**

c. Medicine D

### Medicine A



#### Paracetamol (tablet)

**Indication :** For headache and fever relief

**Dosage :** Children 5 - 12 years.  
1 tablet 3 - 4 times a day.  
Adults 1 - 2 tablets.  
3 - 4 times a day.  
(before meal)  
**\*\*Drink a lot of water\*\***

### Medicine B



#### Syrup medicine

**Indication :** Relief coughs.  
**Dosage** 1 - 2 teaspoons before meal.

**\*\*Take enough rest\*\***

### Medicine C



#### Capsule

**Indication :**  
For cold and runny nose.

**Dosage :**  
2 capsules a day before bedtime.  
**\*\*Drink a lot of water\*\***

### Medicine D



#### Pill

**Indication :**  
Relief muscles pain. .

**Dosage :**  
1 pill 3 times a day

**\*\*Drink a lot of water\*\***

4. Tom has a headache, he should take.....

**a. Medicine A**

b. Medicine B

c. Medicine D



Read and Tick ✓ or ✗





### Medicine A



#### Paracetamol (tablet)

Indication : For headache and fever relief

Dosage : Children 5 - 12 years.

1 tablet 3 - 4 times a day.

Adults 1 - 2 tablets.

3 - 4 times a day.

(before meal)

**\*\*Drink a lot of water\*\***

### Medicine B



#### Syrup medicine

Indication : Relief coughs.

Dosage 1 - 2 teaspoons before meal.

**\*\*Take enough rest\*\***

### Medicine C



#### Capsule

Indication :

For cold and runny nose.

Dosage :

2 capsules a day

before bedtime.

**\*\*Drink a lot of water\*\***

### Medicine D



#### Pill

Indication :

Relief muscles pain. .

Dosage :

1 pill 3 times a day

**\*\*Drink a lot of water\*\***

✓ 5. Take Medicine D and drink a lot of water.

✓ 6. Take Medicine B and take enough rest.

✗ 7. Take Medicine D 4 times a day.

### Medicine A



#### Paracetamol (tablet)

Indication : For headache and fever relief

Dosage : Children 5 - 12 years.

1 tablet 3 - 4 times a day.

Adults 1 - 2 tablets.

3 - 4 times a day.

(before meal)

**\*\*Drink a lot of water\*\***

### Medicine B



#### Syrup medicine

Indication : Relief coughs.

Dosage 1 - 2 teaspoons before meal.

**\*\*Take enough rest\*\***

### Medicine C



#### Capsule

Indication :

For cold and runny nose.

Dosage :

2 capsules a day

before bedtime.

**\*\*Drink a lot of water\*\***

### Medicine D



#### Pill

Indication :

Relief muscles pain. .

Dosage :

1 pill 3 times a day

**\*\*Drink a lot of water\*\***



8. Take Medicine C after meal.



9. Take Medicine A before bedtime.



10. Take Medicine B before meal.

# Wrap Up



# Medicine



syrup

pill



capsule



tablet



before meal



after meal

.....time(s) a day.

every \_\_hour(s)

children

adult



ชื่อ : \_\_\_\_\_ สกุล : \_\_\_\_\_ วัน เดือน พ.ศ. \_\_\_\_\_  
 หน่วยงานการเรียนรู้ที่ \_\_\_\_\_ เรื่อง \_\_\_\_\_

**คำชี้แจง**

1. ระบายสีลงใน ☆ ของแต่ละกิจกรรมที่นักเรียนคิดว่าทำได้ตามระดับการประเมินเหล่านี้  
 เพื่อประเมินการเรียนรู้ของนักเรียน

☆ ปรับปรุง ☆☆ พอใช้ ☆☆☆ ก่อนข้างดี ☆☆☆☆ ดี ☆☆☆☆☆ ดีมาก

กิจกรรม	ระดับความสามารถ
1) ออกเสียงคำศัพท์เกี่ยวกับชนิดของยาและการรับประทานยาได้	☆☆☆☆☆
2) บอกรายละเอียดจากการอ่านฉลากยาได้	☆☆☆☆☆

\*หมายเหตุ : ครูเติมประเด็นที่ต้องการให้นักเรียนประเมินการเรียนรู้ของตนเอง

2. นับจำนวนดาวจากตารางข้างบนเพื่อบันทึกผลการเรียนรู้ของนักเรียน ดังนี้

☆ จำนวน..... ☆☆☆☆ จำนวน.....  
 ☆☆ จำนวน..... ☆☆☆☆ จำนวน.....  
 ☆ ☆ ☆ จำนวน..... ☆ .....  
 ☆ ☆ ☆ จำนวน.....

**สรุป:** วงกลมรอบผลการเรียนรู้ของนักเรียน โดยนับจากข้อที่ได้ดาวมากที่สุด

ปรับปรุง      พอใช้      ดี      ก่อนข้างดี      ดีมาก

3. กาเครื่องหมาย ✓ ลงใน  ที่นักเรียนวางแผนจะทำเพื่อพัฒนาการเรียนในครั้งต่อไป (เลือกได้มากกว่า 1 ข้อ)

\_\_\_\_\_  \_\_\_\_\_  
 \_\_\_\_\_  \_\_\_\_\_

# แบบประเมินตนเอง

ดาวน์โหลดใบงานได้ที่ [www.dltv.ac.th](http://www.dltv.ac.th)





กิจกรรม	ระดับความสามารถ
1) ออกเสียงคำศัพท์เกี่ยวกับชนิดของยาและการรับประทานยาได้	☆☆☆☆☆
2) บอกรายละเอียดจากการอ่านฉลากยาได้	☆☆☆☆☆

\*หมายเหตุ : ครูเติมประเด็นที่ต้องการให้นักเรียนประเมินการเรียนรู้ของตนเอง

2. นับจำนวนดาวจากตารางข้างบนเพื่อบันทึกผลการเรียนรู้ของนักเรียน ดังนี้

☆☆ จำนวน.....	☆☆☆☆ จำนวน.....
☆☆ จำนวน.....	☆☆☆☆ จำนวน.....
☆☆ จำนวน.....	☆☆ จำนวน.....
	☆☆ จำนวน.....

**สรุป :** วงกลมรอบผลการเรียนรู้ของนักเรียน โดยนับจากข้อที่ได้ดาวมากที่สุด

ปรับปรุง

พอใช้

ดี

ค่อนข้างดี

ดีมาก



3. กาเครื่องหมาย ✓ ลงใน □ ที่นักเรียนวางแผนจะทำเพื่อพัฒนาการเรียนในครั้งต่อไป (เลือกได้มากกว่า 1 ข้อ)

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_





See You Next Time!

